




Iveco Daily 01/2011 - 04/2014





- We would expressly point out that assembly not carried out properly by a competent installer will resultin cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.


• Do not overload circuits; the maximum loads per connection are detailed in this manual.

 Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.


• In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support:


t.skinner@ecs-electronics.com / 07440 202 052.







© ECS Electronics B.V. Pag. 2 IV-004-BDU / 150316TT






© ECS Electronics B.V. Pag. 3 IV-004-BDU / 150316TT









© ECS Electronics B.V. Pag. 4 IV-004-BDU / 150316TT





TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR

THIS PURPOSE.





	- 1
TNIEO	٠I
TIALO	, ,

SOCKET CONNECTION

DIN/ISO	\(\frac{1}{2} \)	◆ ○‡	<u>-</u> 1-7	\Rightarrow	-Ö-	STOP	-¤ָ-
1724	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L
Pmax	21W	2x21W	1	21W	52W	3x21W	52W
Colour	Yellow	Blue	White	Green	Brown	Red	Black

(5)

ELECTRONICS

ELECT PONICE

ELECTHONICS

ELECTRONICS

ELECTRONICS

ELECTRONICS

ELECTRONICS

ELECTRONICS