

## Mitsubishi L200 2016-

Partnr.: MT-131-BHU

- Fitting instructions electric wiring kit tow bar with 12-N socket up to DIN/ISO Norm 1724.
- We would expressly point out that assembly not carried out properly by a competent installer will result in cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.
- Do not overload circuits; the maximum loads per connection are detailed in this manual.
- Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.
- In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the installers support: [customercare@ecs-electronics.com](mailto:customercare@ecs-electronics.com) / 00800 22 55 23 27.



**00800  
22 55 23 27  
CALL2ECS**

Monday - Friday




08.00am - 11.00am

12.00am - 05.00pm GMT

[customercare@ecs-electronics.com](mailto:customercare@ecs-electronics.com)

[www.ecs-electronicsuk.co.uk](http://www.ecs-electronicsuk.co.uk)


# Part list




M



3x



B



X

U

U1

G

X

L

M2

M1

B

T

35x

5x

4x

UN-243-YZ

Optional reverse lamp  
pre-wire extension included




Pag. 20



## OPTION P.D.C.


PARK DISTANCE CONTROL




3x



Pag. 18 - 19



3x




1x



2x




3x




1x

Fuse 20 Amp.




2x



\* **Double Cab**



\* **Club Cab**

**1**






**2**


**Double Cab**




3




4

**Double Cab**


5



Double Cab





6




Double Cab

Option 1




Double Cab



Option 2



7





### Double Cab









8

### Club Cab







Club Cab




Double Cab








11






Club Cab





12












Double Cab












Club Cab






**Double Cab****Option 1****Option 2**

**Club Cab****Option 1****Option 2**

A





## INFO

SOCKET CONNECTION




Pag. 17


B




15




4




5




6




7





8




9



10




16





Double Cab



Option 1






17







**Double Cab****Option 2**

18




**Club Cab**

19

**Double Cab****Club Cab**





**Double Cab****Club Cab**







**Double Cab**

## Club Cab







1





2



TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.

REINSTALL TRIM.

27



**00800  
22 55 23 27  
CALL2ECS**


Monday - Friday  
08.00am - 11.00am  
12.00am - 05.00pm GMT  
customer@ecs-electronics.com  
[www.ecs-electronicsuk.co.uk](http://www.ecs-electronicsuk.co.uk)

SOCKET CONNECTION

DIN/ISO 1724							
	1/L	2	3/31	4/R	5/58-R	6/54	7/58-L
Pmax	21W	21W		21W	42W	3x21W	42W
Colour	Yellow	Blue	White	Green	Brown	Red	Black

# AUTO PARK-SENSOR SWITCH-OFF FUNCTION WITH THE 5D033 ECU FOR AFTER MARKET / NON-OE PARK-SENSOR-SYSTEMS

## FUNCTION



## INFO



Locate the **PDC** (Parking Sensor) Module in the Vehicle.

**OPTION 1** When the PDC-system has no specific **MUTE** wire: Locate and cut the wire at **ONE** of the locations A-G and connect to the **ECS Towbar Wiring Kit** as shown in Option 1. Always check if cutting the wire at the selected location does not create any errors in the PDC-system or the vehicle, if so, then select another location. In this case the cut wire is connected and the system operates normally. When the trailer is connected. This wire becomes disconnected by the Trailer Module. If the same module also controls the Front Sensors then use only locations F or G to prevent the front sensors switching off.


**OPTION 2** When the PDC-system has a specific **MUTE** wire: Check in the manual of the PDC-system which input the PDC module requires to switch off the system (+12v **or** Earth trigger). Then connect the Trigger wire of the PDC system to pin 9 of the ECS connector, and connect the required feed (+12v **or** Earth) to pin 7 and 5.

**Be careful** as connecting the wrong feed can cause damage to the PDC-system.


Always check Before and After installation the PDC System is working correctly, and where possible any error codes.

# AUTO PARK-SENSOR SWITCH-OFF FUNCTION WITH THE 5D033 ECU FOR AFTER MARKET / NON-OE PARK-SENSOR-SYSTEMS



## AFTER MARKET / NON-OE PARKSENSOR-SYSTEM



## OPTION 1, NO PDC MUTE




## OPTION 2, PDC MUTE




# UN-243-YZ Reverse lamp pre-wire extension


⚠ MAX = 21W




A




1




2




3



4



5



B

⚠ MAX = 21W

