


Mercedes Benz A Class 09/2012 >> 04/2018

Mercedes Benz B Class 02/2012 >> 01/2019

Mercedes Benz CLA 04/2013 >> 03/2019

Mercedes Benz GLA 03/2014 >>

Mercedes Benz CLA Shooting Brake X117 03/2015 >> 08/2019










Partnr.: MB-077-B1U

- Fitting instructions electric wiring kit tow bar with 12-N socket up to DIN/ISO Norm 1724.
- We would expressly point out that assembly not carried out properly by a competent installer will result in cancellation of any right to damage compensation, in particular those arising by virtue of the product liability act.
- Contents of these kits and their fitting manuals are subject to alteration without notice, please ensure that these instructions are read and fully understood before commencing installation.
- Do not overload circuits; the maximum loads per connection are detailed in this manual.
- Attention! Before Installation, please read this manual carefully and inform your customer to consult the vehicle owners manual to check for any vehicle modifications required before towing.
- In the event of functional problems, troubleshooting must be limited to about 0.5 hours, contact the technical support:
t.skinner@ecs-electronics.com / 07440 202 052.








Part list



UN-243-YZ


Optional reverse lamp pre-wire extension included

Pag. 10




ROUTING


A Class




B Class




CLA Class




GLA Class






CLA Class Shooting Brake




1



2




GLA Class Shooting Brake




3





1




2




3











1




2









7







8




9





10



11






14

TEST ALL THE CIRCUITS WITH A TEST DEVICE WITH THE CORRECT POWER LOAD FOR EACH FUNCTION. A TEST DEVICE WITH LED'S CANNOT BE USED FOR THIS PURPOSE.

INFO

REINSTALL TRIM.




INFO

SOCKET CONNECTION


| DIN/ISO 1724 | | | | | | | |
|--------------|--------|------|-------|-------|--------|-------|--------|
| | 1/L | 2 | 3/31 | 4/R | 5/58-R | 6/54 | 7/58-L |
| Pmax | 21W | 21W | | 21W | 42W | 3x21W | 42W |
| Colour | Yellow | Blue | White | Green | Brown | Red | Black |

UN-243-YZ Reverse lamp pre-wire extension


⚠ MAX = 21W




A




1




2




3



4




5



B

⚠ MAX = 21W



Reverse

